

BIN

Stock system



Stock system

Range | Slope front bin



ITB 175 SLIM



B 210



B 340



B 400



B 500

Range | Bin - Cart combo



BCS 150



BCS 300



BCD 400



BCD 600



BCD 800

Accessory | Cart



C 100

General features

ICE TECH BINS storage systems for high demand of ice in a short time!

The optimal consolidated solution for the proper storage of ice.


Nice for all shapes of ice, easy and convenient ice extraction.

With all necessary hygienic and sanitary guarantees.

Available the ice storage & cat range, the last one use gravity for ice removal and asterde carts to easier delivery labor.

Technical features / Operating limits

Ice	All ice shapes.
Body	AISI 304 Stainless Steel.
Certification	ISO 9001, CE



Model	Storage Kg.	Volume m ³	Net Weight Kg.	WITH x DEPTH x HEIGHT Dimensions mm.
ICE TECH B 175	181	0,38	54	559 x 872 x 1122*
ICE TECH B 210	225	0,48	56	762 x 819 x 1071*
ICE TECH B 340	350	0,70	69	1067 x 819 x 1071*
ICE TECH B 400	400	0,81	75	1219 x 819 x 1071*
ICE TECH B 500	480	0,99	94	1321 x 872 x 1122*

* legs + 160mm

ICE TECH BCS 150	137	0,29	75	762 x 1016 x 1320
ICE TECH BCS 300	300	0,62	95	762 x 1016 x 1865
ICE TECH BCD 400	413	0,85	140	1524 x 1016 x 1520
ICE TECH BCD 600	617	1,28	160	1524 x 1016 x 1820
ICE TECH BCD 800	812	1,68	175	1524 x 1016 x 2084

Cart

ICE TECH C 100 / BASKETS	109/70	-	35/8	622 x 1054 x 722/887*
--------------------------	--------	---	------	-----------------------

* With handle



Combinations | Bin + Machine



RECOMMENDED



+15%

POSSIBLE (NOT OPTIMIZED)



STAKING



SIDE BY SIDE

BINS

BINS WITH CART

	B175		B210		B340		B400		B500		BCS150		BCS300		SCD400		SCD600		SCD800	
Nº MACHINES	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2
SS 150																				
SS 400																				
FD/HD 215																				
FD/HD 315 SLIM																				
FD/HD 415																				
GR 220																				
GR 400																				
GR 560																				
GR 1100																				
GR 560 SPLIT																				
GR 850 R449A SPLIT																				
GR 850 C02 SPLIT																				
SC 400																				
SC 600																				
SC 1T-3T SPLIT																				
SC 1T																				